

TABLE OF CONTENTS

1.0 PURPOSE, SCOPE, LIMITATION, AND EXPERIENCE LEVEL REQUIRED.....	1
1.1 PURPOSE	1
1.2 SCOPE	1
1.3 LIMITATION	1
1.4 EXPERIENCE LEVEL REQUIRED	1
2.0 REFERENCED PUBLICATIONS.....	1
3.0 DEFINITIONS.....	2
4.0 PERSONNEL SAFETY	2
5.0 MEASUREMENT TECHNIQUES FOR ESD RISK ASSESSMENT	2
6.0 ESD ROBUSTNESS OF ESDS ITEMS USED IN PROCESSES	5
6.1 GENERAL CONSIDERATIONS	5
6.2 ESD WITHSTAND CURRENTS OF SINGLE DEVICES (COMPONENTS).....	6
6.2.1 <i>Human Body Model</i>	6
6.2.2 <i>Discharge of Charged Conductors</i>	6
6.2.3 <i>Charged Device Model</i>	7
6.3 ESD WITHSTAND CURRENTS OF ELECTRONIC ASSEMBLIES.....	8
6.3.1 <i>Discharge of Charged Personnel</i>	8
6.3.2 <i>Discharge of Charged Conductors</i>	9
6.2.3 <i>Discharge of Boards/Systems</i>	9
6.4 VOLTAGE SENSITIVE DEVICES	9
7.0 ESD RISK ASSESSMENT FLOWS.....	10
7.1 GENERAL CONSIDERATIONS	10
7.2 PERSONNEL.....	11
7.2.1 <i>General Considerations</i>	11
7.2.2 <i>Parameter Limits for ESD Risk Assessment of Personnel</i>	11
7.2.3 <i>Detailed ESD Risk Assessment Flow</i>	12
7.3 CONDUCTORS	14
7.3.1 <i>General Considerations</i>	14
7.3.2 <i>Parameter Limits for ESD Risk Assessment of Conductors</i>	15
7.3.3 <i>Detailed ESD Risk Assessment Flow</i>	15
7.4 CHARGED ESDS ITEMS	17
7.4.1 <i>General Considerations</i>	17
7.4.2 <i>Parameter Limits for ESD Risk Assessment of Charged ESDS Items</i>	17
7.4.3 <i>Detailed ESD Risk Assessment Flow</i>	18
7.5 RISKS DUE TO PROCESS ESSENTIAL INSULATORS	20
7.5.1 <i>General Considerations</i>	20

7.5.2	<i>Parameter Limits for ESD Risk Assessment of Process Essential Insulators</i>	20
7.5.3	<i>Detailed ESD Risk Assessment Flow</i>	21
7.6	ESD RISK ASSESSMENT BY ESD EVENT DETECTION	23
7.6.1	<i>General Considerations</i>	23
7.6.2	<i>General Procedure</i>	24
7.6.3	<i>Detailed ESD Risk Assessment Flow</i>	24
Annexes		
Annex A (Informative):	Measurement Techniques and Equipment.....	26
A.1	General Considerations	26
A.2	Measurements of Grounding.....	26
A.3	Measurements of Contact Resistance	29
A.4	Measurements of Electrostatic Fields	33
A.5	Measurements of Charges	34
A.6	Measurements of Electrostatic Voltages	36
A.7	Measurements of Discharge Events	40
A.8	Measurements of Discharge Currents	42
Annex B (Informative):	Grounding of Automated Handling Equipment (AHE).....	48
Annex C (Informative):	Preparation: What is Necessary to Prepare an Effective ESD Risk Assessment?.....	51
Annex D (Informative):	ESD Risk Assessment and Mitigation	52
Annex E (Informative):	Examples for Defining Limits in ESD Risk Assessment for Risks Due to Charged Personnel	53
Annex F (Informative):	Example for ESD Risk Assessment in a “Pick and Place” Process	55
Annex G (Informative):	Bibliography.....	58
Annex H (Informative):	Revision History for ANSI/ESD SP17.1	60
Figures		
Figure 1:	Direct (Best Correlation) and Indirect (Least Correlation) Measurements to Assess an ESD Risk	5
Figure 2:	Relation Between the Capacitance of the ESDS Item in the CDM Qualification Tester and the CDM Peak Current Related to the CDM Discharge Voltage.....	8
Figure 3:	Flow to Assess ESD Risk Induced by Personnel	14
Figure 4:	Flow to Assess the ESD Risk Induced by Conductors.....	17
Figure 5:	Flow to Assess the ESD Risk Induced by Charged ESDS Items.....	19
Figure 6:	Flow to Assess the ESD Risk Induced by Process Essential Insulators.....	23
Figure 7:	Flow to Assess the ESD Risk by Detecting the Electromagnetic Radiation Using ESD Event Detectors or Antennas and Oscilloscopes	25
Figure 8:	Circuit Diagram of Experiments and Simulations of Contact Resistance.....	32
Figure 9:	Examples of Current Probes	43
Figure 10:	Example of a 4-GHz Pellegrini Target.....	45
Figure 11:	Example of a Home-Made CDM Test Head Used for Discharge Current Measurement.....	46
Figure 12:	Discharge Current Measured in the Field and During Device Qualification	53
Figure 13:	Schematic Representation of a “Pick and Place” Operation with Two Handlers	55

Tables

Table 1: Resistance Ranges of Materials Used in This Document..... 3

Table 2: Overview of Possible Measurement Instruments Used for Different Scenarios to Assess ESD Risk 4

Table 3: Peak Current Ranges of CDM Discharges of Small and Large Verification Modules for Oscilloscopes with a Bandwidth of 1 GHz and 6 GHz 46