

TABLE OF CONTENTS

1.0 INTRODUCTION.....	1
2.0 CLASSES OF TLP SYSTEMS.....	1
3.0 TLP SCHEMATICS.....	2
3.1 UNMATCHED TIME DOMAIN REFLECTION TLP	2
3.2 TIME DOMAIN REFLECTION TLP	3
3.3 TIME DOMAIN REFLECTION WITH BALUN.....	4
3.4 TIME DOMAIN TRANSMISSION	4
3.5 TIME DOMAIN REFLECTION AND TRANSMISSION.....	5
3.6 CONSTANT CURRENT	6
4.0 TLP PARAMETERS AND THEIR IMPORTANCE.....	6
4.1 PULSE WIDTH.....	6
4.2 RISE TIME	7
4.3 FALL TIME	7
4.4 MAXIMUM PEAK CURRENT OVERTHROW	8
4.5 MAXIMUM VOLTAGE AND CURRENT RINGING DURATION.....	8
4.6 MEASUREMENT WINDOW.....	8
5.0 TLP ERROR CORRECTION AND ACCURACY VERIFICATION	9
6.0 CORRELATING THE TLP FAILURE CURRENT OF A DEVICE WITH HBM AND MM FAILURE LEVELS	12
7.0 MEASUREMENT NOISE.....	16
7.1 MEASUREMENT SYSTEM.....	16
7.2 DEVICE UNDER TEST	17
7.3 MEASUREMENTS.....	17
7.4 CONCLUSIONS ON MEASUREMENT NOISE.....	21
8.0 TLP TO TLP CORRELATION STUDY	21
8.1 SYSTEM TYPES.....	21
8.2 SYSTEM ACCURACY VERIFICATION	22
8.3 COMPARISON OF WAVEFORMS	22
8.4 MEASUREMENTS ON NMOS TRANSISTORS.....	24
8.5 CONCLUSIONS ON TLP SYSTEM COMPARISONS	26
9.0 TLP MEASUREMENTS OF SEMICONDUCTOR DEVICES	26
9.1 CMOS MOSFET TLP MEASUREMENTS.....	26
9.2 SILICON ON INSULATOR TLP MEASUREMENTS	27
9.3 BIPOLAR TRANSISTOR TLP MEASUREMENTS.....	28
9.4 POWER SUPPLY CLAMP	29
10.0 REFERENCES	30
10.1 TLP SYSTEM DESIGN	30

10.2	STANDARDIZATION OF TLP	31
10.3	HBM – TLP CORRELATION	31
10.4	VF-TLP AND TLP FOR CDM SYSTEM DESIGN	31
10.5	TEST STRUCTURE DESIGN	32
10.6	DIELECTRIC TLP MEASUREMENTS	32
10.7	DIODE TLP MEASUREMENT	32
10.8	MOSFET TLP MEASUREMENTS	32
10.9	SALICIDE TLP MEASUREMENTS.....	32
10.10	INTERCONNECT TLP MEASUREMENTS	32
10.11	SILICON ON INSULATOR (SOI) TLP MEASUREMENTS	33
10.12	SILICON GERMANIUM (SiGe) TLP MEASUREMENTS	33
10.13	GMR HEADS FOR DISK DRIVES.....	33
10.14	FAILURE ANALYSIS	33
10.15	SYSTEM LEVEL TESTING	33

TABLES

Table 1.	Classification of TLP Systems.....	2
Table 2.	Correlation Factors for a 100 nanoseconds Wide TLP Pulse	14
Table 3.	TLP System Types used in TLP-to-TLP Correlation Study.....	22
Table 4.	Calibration Results for TLP-to-TLP Correlation Study	22
Table 5.	I-V Effect of Pulse Rise Times on n-channel MOSFET TLP I-V parameters	25
Table 6.	Comparison of n-channel MOSFET Parameters Measured on Different Systems.....	26

FIGURES

Figure 1:	Organization Chart of TLP System Types.....	1
Figure 2:	Schematic of a Basic Unmatched TLP System (not recommended for use).....	3
Figure 3:	Schematic of Time Domain Reflectometer TLP System With -20db Attenuator.....	4
Figure 4:	Schematic of TDR TLP with Balun and Wafer Prober	4
Figure 5:	Schematic of Time Domain Transmission TLP	5
Figure 6:	Schematic of Time Domain Reflection and Transmission TLP	5
Figure 7:	Schematic of Constant Current TLP System	6
Figure 8:	Pulse Waveform Indicating Pulse Width, Rise Time, Pulse Plateau, and Fall Time Definitions	7
Figure 9:	Pulse Waveform, Indicating Maximum Peak Overshoot, Ringing Duration and Measurement Window	8
Figure 10:	I-V Plot of a Short Without Correction Factor.....	10
Figure 11:	I-V Plot of an Open Without Correction Factor	10
Figure 12:	I-V Plot of a Short	11
Figure 13:	I-V Plot of an Open	11
Figure 14:	I-V Plot of Reversed Biased Zener Diodes	12
Figure 15:	I-V Plot of 5.003 ohms Resistor	12
Figure 16:	Plot of V_{HBM}/I_{TLP} vs. TLP Pulse Width for Silicon Electro-thermal Failure	13
Figure 17:	Voltage Waveforms Superimposed.....	18

Figure 18: Current Waveforms Superimposed	18
Figure 19: The Average Voltage over 19 Pulses for Different Amount of Points in the Measurement Window	19
Figure 20: Average Current Over 19 Pulses for Different Amount of Points in the Measurement Window	19
Figure 21: Standard Deviation of the Measured Voltage Over the 19 Points Divided by the Average Voltage as a Function of the Number of Points in the Measurement Window	20
Figure 22: Standard Deviation of the Measured Current Over the 19 Points Divided by the Average Current as a Function of the Number of Points in the Measurement Window	20
Figure 23: Average Voltages Over the 19 Pulses as a Function of the Position of the Measurement Window	21
Figure 24: Average Current Over the 19 Pulses as a Function of the Position of the Measurement Window	21
Figure 25: Current Waveform for Lab 1 of 50 ohms resistor at 100mA	23
Figure 26: Current Waveform for Lab 4 of 50 ohms resistor at 100mA	23
Figure 27: Voltage Waveform for Lab 1 of 50 ohms resistor at 100mA	24
Figure 28: Voltage Waveform for Lab 4 of 50 ohms resistor at 100mA	24
Figure 29: I-V Plot of n-channel MOSFET Transistor as Well as Leakage Evolution	25
Figure 30: High Current I-V Characteristic of a Grounded Gate n-channel MOSFET	27
Figure 31: TLP I-V Characteristic of a SOI Off-Chip Driver Only, and the I/O Off-Chip Driver With Three Different SOI DTMOS ESD Elements	28
Figure 32: TLP I-V Characteristic of a SiGe Transistor in Collector-Emitter Mode Highlighting the Avalanche Breakdown, Snapback Voltage, Second Breakdown, and Thermal Instability Regions	29
Figure 33: TLP Measurement of SiGe HBT in Emitter-Base Configuration	29
Figure 34: Example of Wunsch-Bell Curve for Si and SiGe npn Transistor	30
Figure 35: I-V Plot and Leakage Evolution of a Large n-channel MOSFET Power Supply Clamp.....	31